

Examining Errors in Medicaid Reporting Across Four National Surveys: ACS, CPS, MEPS, and NHIS

Kathleen Thiede Call

State Health Access Data Assistance Center (SHADAC)
University of Minnesota

AAPOR, Boston May 17, 2013

Acknowledgments

- Funding for this work is supported by the Census Bureau
- Coauthors:
 - Brett O'Hara: Census Bureau
 - Brett Fried, Michel Boudreaux, Joanna Turner:
 SHADAC

The problem

- Every survey said to "undercount" Medicaid enrollment
- If not reporting Medicaid, counts of Medicaid are biased downward, counts of other coverage and uninsurance are biased upward
- The size of the undercount varies by survey
- Extend prior analysis to the ACS
 - How does the ACS undercount compare to other federal surveys?



Data and methods

- 2008 ACS: first year insurance questions added
- 2008 Medicaid Statistical Information System (MSIS enrollment files)
- Prepared MSIS data: remove duplicates, deceased, and partial coverage. Institutional are included in MSIS and ACS.
- Benchmark analysis
 - Compare enrollment counts between ACS and MSIS: total and by age
 - Compare magnitude of undercount to other national surveys: CPS, NHIS, MEPS



The ACS question ask about Medicaid and all other public programs.

All other surveys have separate questions.

•	fo co	Is this person CURRENTLY covered by any of the following types of health insurance or health coverage plans? Mark "Yes" or "No" for EACH type of coverage in items a – h.							
	a.	Insurance through a current or	Yes	No					
		former employer or union (of this person or another family member)							
	b.	Insurance purchased directly from an insurance company (by this person or another family member)							
	C.	Medicare, for people 65 and older, or people with certain disabilities							
	d.	Medicaid, Medical Assistance, or any kind of government-assistance plan for those with low incomes or a disability							
	e.	TRICARE or other military health care							
	f.	VA (including those who have ever used or enrolled for VA health care)							
	g.	Indian Health Service							
	h.	Any other type of health insurance or health coverage plan – Specify							

Medicaid undercount

	Number		Percent			
	MSIS	Prelim ACS	Prelim ACS	NHIS	CPS	MEPS/HC
All Ages	40,320,000	46,910,000	-16%	26%	32%	6%
0-17	23,320,000	22,900,000	2%	29%	38%	12%
18-44	8,660,000	10,130,000	-17%	27%	31%	3%
45-64	4,430,000	6,910,000	-56%	11%	2%	0%
65+	3,850,000	6,970,000	-81%	19%	30%	-8%
Unknown	60,000	NA	NA	NA	NA	NA

Summary of <u>undercount</u> findings:

- Highest for CPS, likely due to long reference period
- Lowest for MEPS/HC, likely due to in-person component, priming from prior waves
- Lowest for near elderly and elderly; highest for children (largest enrollment population)
 ACS largely <u>overcounts</u> Medicaid; likely due to structure of question that is a public catch all, and inclusion of institutional population

2008 NHIS analysis

fo	Is this person CURRENTLY covered by any of the following types of health insurance or health coverage plans? Mark "Yes" or "No" for EACH type of coverage in items a – h.						
a.	Insurance through a current or	Yes	No				
	former employer or union (of this person or another family member)						
b.	Insurance purchased directly from an insurance company (by this person or another family member)						
c.	Medicare, for people 65 and older, or people with certain disabilities						
d.	Medicaid, Medical Assistance, or any kind of government-assistance plan for those with low incomes or a disability						
e.	TRICARE or other military health care						
f.	VA (including those who have ever used or enrolled for VA health care)						
g.	Indian Health Service						
h.	Any other type of health insurance or health coverage plan – Specify						

Closing comments

- The magnitude of the undercount varies across surveys
 - Highest in the CPS
 - Lowest for the MEPS/HC
 - By contrast the ACS largely overcounts Medicaid enrollment. This is a function of:
 - Question structure
 - Inclusion of institutional population

Next steps

- Omit institutional cases to allow direct comparison with other survey results
- Link the ACS and MSIS to examine how known Medicaid enrollees report coverage in ACS
- Explore factors associate with accurate and inaccurate reporting
- Describe variation in the undercount by state
- Explore accuracy by survey mode
- Stay tuned!

Key Contact

Kathleen Call

callx001@umn.edu

612.624.4802



Sign up to receive our newsletter and updates at

www.shadac.org







